



**CATEGORY**:

# **CLEARED**

FORM PTO-1390 REV. 5-93 US DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEYS DOCKET NUMBER P00.1884

TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US)

U.S.APPLICATION NO. (if known, see  $\frac{37}{720557}$  CFR 1.5)

INTERNATIONAL APPLICATION NO. PCT/EP99/00815

INTERNATIONAL FILING DATE 8 February 1999

PRIORITY DATE CLAIMED 30 June 1998

TITLE OF INVENTION

"METHOD FOR OPTIMISING THE TRANSMISSION CAPACITY AVAILABLE IN CUSTOMER ACCESS NETWORKS"

APPLICANT(S) FOR DO/EO/US Stefan SCHRÖDER

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. 
This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.

CONCERNING A FILING UNDER 35 U.S.C. 371

- 2. I This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.
- 3. of This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay.
- 4. 
  A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
- 5. 🛮 🕻 A copy of International Application as filed (35 U.S.C. 371(c)(2))
  - a. 

    a is transmitted herewith (required only if not transmitted by the International Bureau).
  - b.  $\square$  has been transmitted by the International Bureau.
  - c. □ is not required, as the application was filed in the United States Receiving Office (RO/US)
- 6. 

  A translation of the International Application into English (35 U.S.C. 371(c)(2).
- 7. Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. §371(c)(3))
  - a.  $\square$  are transmitted herewith (required only if not transmitted by the International Bureau).
  - b. Dhave been transmitted by the International Bureau.
  - c. | have not been made; however, the time limit for making such amendments has NOT expired.
  - d. A have not been made and will not be made.
- 8. 

  A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
- 9. 

  An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).)
- 10, D A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C.371(c)(5)).

### Items 11. to 16. below concern other document(s) or information included:

- 11. a An Information Disclosure Statement under 37 C.F.R. 1.97 and 1.98; (PTO 1449, Prior Art, Search Report).
- 12. An assignment document for recording. A separate cover sheet in compliance with 37 C.F.R. 3.28 and 3.31 is included. (SEE ATTACHED ENVELOPE)
- 13. 

   A FIRST preliminary amendment.
  - A SECOND or SUBSEQUENT preliminary amendment.
- 14. 

  A substitute specification.
- 15. 

  A change of power of attorney and/or address letter.
- 16. 

  ☐ Other items or information:

- a. M Submittal of Drawings
- b. 🛘 EXPRESS MAIL #EL 655302894US, dated December 21, 2000.

528 Rec'd PCT/PTO 21 DEC ZUVU S.APPLICATION NO. (If known, see 9 2 02 RO 5 5 7 INTERNATIONAL APPLICATION NO. ATTORNEY'S DOCKET NUMBER PCT/EP99/008151 P00,1884 17. 

☐ The following fees are submitted: CALCULATIONS PTO USE ONLY BASIC NATIONAL FEE (37 C.F.R. 1.492(a)(1)-(5): Search Report has been prepared by the EPO or JPO ...... \$860.00 International preliminary examination fee paid to USPTO (37 C.F.R. 1.482) . . \$700.00 No international preliminary examination fee paid to USPTO (37 C.F.R. 1.482) but international search fee paid to USPTO (37 C.F.R. 1.445(a)(2) . . . . . . . . . . \$770.00 Neither international preliminary examination fee (37 C.F.R. 1.482) nor international search fee (37 C.F.R. 1.445(a)(2) paid to USPTO ...... \$1040.00 International preliminary examination fee paid to USPTO (37 C.F.R. 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4) ..... \$ 96.00 ENTER APPROPRIATE BASIC FEE AMOUNT = \$ 860.00 Surcharge of \$130.00 for furnishing the oath or declaration later than  $\Box$  20  $\;\Box$  30 months from the earliest claimed priority date (37 C.F.R. 1.492(e)). Number Filed Number Claims Rate Extra **Total Claims** 6 - 20 =X \$ 18.00 \$ .00 Independent Claims - 3 = X \$ 80.00 \$ Multiple Dependent Claims \$270.00+ TOTAL OF ABOVE CALCULATIONS = \$860.00 Reduction by 1/2 for filing by small entity, if applicable. Verified Small Entity statement must ลีโรง be filed. (Note 37 C.F.R. 1.9, 1.27, 1.28) u \$860.00 SUBTOTAL = Processing fee of \$130.00 for furnishing the English translation later than  $\Box$  20  $\Box$  30 months from the earliest claimed priority date (37 CFR 1.492(f)). **TOTAL NATIONAL FEE =** \$860.00 Fee for recording the enclosed assignment (37 C.F.R. 1.21(h). The assignment must be accompanied by an appropriate cover sheet (37 C.F.R. 3.28, 3.31). \$40.00 per property \$860.00 TOTAL FEES ENCLOSED = Amount to be refunded charged A check in the amount of \$ 860.00 to cover the above fees is enclosed. a. ⊠ \_\_\_\_\_ in the amount of \$ \_\_\_\_\_ to cover the above fees. A b. 🗆 Please charge my Deposit Account No. \_ duplicate copy of this sheet is enclosed. The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 501519. A duplicate copy of this sheet is enclosed. NOTE: Where an appropriate time limit under 37 C.F.R. 1.494 or 1.495 has not been met, a petition to revive (37 C.F.R. 1.137(a) or (b)) must be filed and granted to restore the application to pending status. SEND ALL CORRESPONDENCE TO: SIGNATURE Schiff Hardin & Waite

Patent Department 6600 Sears Tower Chicago, Illinois 60606

Melvin A. Robinson

NAME

31,870

Registration Number

## IN THE UNITED STATES ELECTED OFFICE OF THE UNITED STATES PATENT AND TRADEMARK OFFICE UNDER THE PATENT COOPERATION TREATY-CHAPTER II

## "PRELIMINARY AMENDMENT"

5 APPLICANT:

Stefan SCHRÖDER

SERIAL NO.:

**EXAMINER:** 

FILING DATE:

ART UNIT:

INTERNATIONAL APPLICATION NO.: PCT/EP99/00815

INTERNATIONAL FILING DATE: 8 February 1999

10 INVENTION:

METHOD FOR OPTIMISING THE TRANSMISSION

CAPACITY AVAILABLE IN CUSTOMER ACCESS

**NETWORKS** 

Hon. Assistant Commissioner for Patents

**Box PCT** 

Washington D.C. 20231

SIR:

Amend the above-identified international application before entry into the national stage before the U.S. Patent & Trademark Office under 35 U.S.C. §371 as follows:

## 20 **IN THE SPECIFICATION**

On page 1, before the title, insert --

**SPECIFICATION** 

TITLE--;

after the title, insert --

## **BACKGROUND OF THE INVENTION**

## Field of the Invention--;

in line 3, before "invention" insert --present-- and delete "according to the preamble of patent";

in line 4, delete "claim 1" and insert --for the transmission of information via subscriber line networks, comprising a plurality of subscribers that are brought together via at least one subscriber line network via which information are routed according to an xDSL transmission method, modem units that are arranged at both sides of a subscriber line, and a control logic via which settings in the subscriber line network are undertaken--;

after line 4, insert --

## **Description of the Related Art--**;

in line 8, before "xDSL" insert --a--; in line 14, before "service" insert --a--; after line 27, insert --

## SUMMARY OF THE INVENTION--; and

replace line 28 with the following --The present invention is based on an object of providing a way of how the--.

On page 2, in line 1, delete "preamble of patent claim 1," and insert -- foregoing--;

in line 2, delete "the features recited in the characterizing part hereof." and insert --at least one communication channel being provided between a modem unit and the control logic, information with respect to the bandwidth present on the allocated subscriber line being conducted thereover.--;

in line 6, delete "recited in the subclaims." and insert --characterized in

20

5

10

15

that the modem units are arranged in the subscriber line network. Alternately, the modem units are arranged at the subscriber. The information exchange via the communication channel can ensue periodically or on demand. In a preferred embodiment, at least one communication channel is transmitted via carriers that are not line-bound.--;

after line 6, insert --

## **BRIEF DESCRIPTION OF THE DRAWINGS--**;

after line 8, insert --

Figure 1 is a functional block diagram illustrating the present invention.--; after line 8, insert --

## **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS--**; and

in line 16, change "node" to --node SN--.

On page 3, after line 24, add the following new paragraph --

Although other modifications and changes may be suggested by those skilled in the art, it is the intention of the inventors to embody within the patent warranted hereon all changes and modifications as reasonably and properly come within the scope of their contribution to the art.--.

## **IN THE CLAIMS**

On page 4, line 1, change "Patent Claims" to --We Claim:--.

Amend claim 1 as follows:

1. (Amended) <u>A method</u> [Method] for transmission of information via subscriber line networks, comprising the steps of:

<u>bringing together</u> a plurality of subscribers [(TLN<sub>1</sub>...TLN<sub>n</sub>) that are brought together] via at least one subscriber line network [(AN)] via which

25

20

5

10

10

information are routed according to an xDSL transmission method, [comprising] <u>including</u>

- providing modem units [(M<sub>1</sub>...M<sub>n</sub>) that are arranged] at both sides of a subscriber line, [and comprising]
- providing a control logic [(SN)] via which settings in the subscriber line network [(AN)] are undertaken,
  - [characterized in that] <u>providing</u> at least one communication channel [(K) is provided] between a modem unit  $[(M_1...M_n)]$  and the control logic, information with respect to [the] bandwidth present on [the] <u>an</u> allocated subscriber line being conducted thereover.
  - 2.(Amended) <u>A method</u> [Method] according to claim 1, <u>further</u> <u>comprising the step of:</u> [characterized in that] <u>providing</u> the modem units  $[(M_1...M_n)$  are arranged] in the subscriber line network [(AN)].
- 3.(Amended) A method [Method] according to claim 1, further comprising the step of: [characterized in that]

  providing the modem units [(M<sub>1</sub>...M<sub>n</sub>) are arranged] at the subscriber

  [(TLN<sub>1</sub>...TLN<sub>n</sub>)].
- 4.(Amended) <u>A method</u> [Method] according to claim 1 [through 3],

  [characterized in that the] <u>periodically exchanging</u> information via the

  communication channel [(K) ensues periodically].
  - 5.(Amended) <u>A method</u> [Method] according to claim 1 [through 3], [characterized in that the] <u>exchanging</u> information [exchange] via the

communication channel [(K) ensues] on demand.

6.(Amended) A method [Method] according to claim 1, wherein [one of the preceding claims, characterized in that] the at least one communication channel [(K)] is transmitted via carrier that are not line-bound.

#### 5 **IN THE ABSTRACT**

In line 1, change "Abstract" to --Abstract of the Disclosure--; delete lines 2-3; and delete line 11.

## **REMARKS**

10 The foregoing amendments to the specification and claims under Article 41 of the Patent Cooperation Treaty place the application into a form for prosecution before the U.S. Patent and Trademark Office under 35 U.S.C. §371. Accordingly, entry of these amendments before examination on the merits is hereby requested.

15

Respectfully submitted,

Melvin A. Robinson (reg. no. 31,870)

Schiff Hardin & Waite Patent Department

6600 Sears Tower

Chicago, Illinois 60606 Telephone: 312-258-5785

ATTORNEY FOR APPLICANT

In subscriber line networks (access networks), information are exchanged between subscriber and subscriber line network in the Prior Art according to an xDSL transmission method known to a person skilled in the art. For example, the ADSL or HDSL transmission method can be employed as xDSL method. In such transmission methods, the maximally possible transmission capacity is highly dependent on the physical boundary conditions that prevail in the subscriber line network during the transmission event. Thus, for example, length and diameter of the subscriber line as well as the guidance in the bundle with other subscriber lines play a decisive part.

In typical subscriber line networks, further, all connections are controlled and monitored by an allocated control logic referred to as service node (SN). For example, this service node implements a 'connection admission control' for each connection setup request coming from the subscriber or coming from the network. This means that a check is undertaken to see whether sufficient transmission capacity is available in order to connect the requested connection through to the subscriber.

The subscriber lines are terminated via modem units at both sides. The currently available modems automatically adapt to the physical boundary conditions that are present at the time. When these conditions change, for example because another xDSL subscriber is added in the same line bundle, then the modems must readapt since the transmission capacity may potentially be reduced, for example due to crosstalk. This leads to a reduction of the available bandwidth.

When, following the adaptation event, it is not possible to again obtain the original transmission capacity, the appertaining xDSL link is taken out of operation. This leads to undesired service interruptions.

The invention is based on the object of disclosing a way of how the transmission of information in subscriber line networks can be more flexibly designed for xDSL subscribers.

5

10

15

20

25

Proceeding from the features recited in the preamble of patent claim 1, the invention is achieved by the features recited in the characterizing part thereof.

It is especially advantageous in the invention that no service interruption is undertaken when a lower bandwidth is available after the adaptation event. When a higher bandwidth is available, the user can use this immediately.

Advantageous developments of the invention are recited in the subclaims.

The invention is explained in greater detail below on the basis of a graphically illustrated exemplary embodiment.

In accord therewith, a subscriber line network AN is shown that is brought to a plurality of subscribers  $TLN_1...TLN_n$ . Modem units  $M_1...M_n$  via which information are communicated to the respectively allocated subscribers  $TLN_1...TLN_n$  are arranged in the subscriber line network AN. Only the modem units arranged in the network are shown in the Figure. The settings in the subscriber line network AN are acquired and administered by an allocated service node SN.

It is inventively proposed that a specific maintenance communication be produced between an xDSL modem unit  $M_x$  and the service node. When the physical boundary conditions change in that, for example, crosstalk occurs in the bundle from one of the other subscribers, then the modems re-adapt since the transmission capacity may be reduced. In this case, the service node is informed of this fact via the maintenance communication. When the bandwidth is reduced, the new bandwidth can be subsequently investigated to see whether newly added connections can still be allowed.

The transmission of information is thus continued despite a lower available transmission capacity. When an increase in the bandwidth occurs, this does not remain unused (as in the Prior Art) but is immediately available for further connections. The service interruption time is thus reduced. Further, it is possible for the subscriber to continue to use the previous services, albeit to a limited extent. Finally, the network operator avoids high revenue losses.

The specific maintenance communication is realized by introduction of a maintenance communication channel K between the xDSL modem unit  $M_x$  and the service node SN. The connection control mechanisms can thus remain in the service

15

5

10

20

25

node. Likewise, the basic architectures of existing and future subscriber line networks can remain the same. This involves a considerable reduction in costs for the network operator. When a higher transmission capacity derives in a re-adaptation of the xDSL link, then this method also allows this capacity to be utilized. The subscriber is thus offered a better service and the revenue feasibility of the network operator is enhanced.

The coupling between the xDSL modem unit and the service node can ensue in any desired way. Thus, the maintenance communication channel K can be connected between the service node SN and the network-side or subscriber-side modem units. As a result thereof, it is possible to keep xDSL links in operation even given modified transmission capacity and to reduce the service interruption times.

For example, the communication channel can be realized as a separate time slot in TDM systems and also as a separate ATM channel or as specific ATM control cells in ATM-based networks. A realization is possible in the same way or, on the other hand, via a radio link. It is also conceivable to realize this communication channel via a TMN connection. The information exchange can thereby ensue periodically or on demand. It is also provided to allow the xDSL modem unit to communicate autonomously with the service node or only in response to requests. When a plurality of xDSL modem units are situated in the subscriber line network, then the communication channels thereof can be bundled to form a service node. Certain minimum transmission rates and/or the change granularity can also be prescribed. In the service node, of course, the information about the xDSL transmission capacity actually available can be employed for purposes other than the 'connection admission control'.

## **Patent Claims**

5

10

- 1. Method for the transmission of information via subscriber line networks, comprising
- a plurality of subscribers  $(TLN_1...TLN_n)$  that are brought together via at least one subscriber line network (AN) via which information are routed according to an xDSL transmission method, comprising
- modem units (M<sub>1</sub>...M<sub>n</sub>) that are arranged at both sides of a subscriber line, and comprising
- a control logic (SN) via which settings in the subscriber line network (AN) are undertaken,
- characterized in that at least one communication channel (K) is provided between a modem unit  $(M_1...M_n)$  and the control logic, information with respect to the bandwidth present on the allocated subscriber line being conducted thereover.
- 2. Method according to claim 1, characterized in that the modem units  $(M_1...M_n)$  are arranged in the subscriber line network (AN).
- 3. Method according to claim 1, characterized in that the modem units  $(M_1...M_n)$  are arranged at the subscriber  $(TLN_1...TLN_n)$ .
- 4. Method according to claim 1 through 3, characterized in that the information exchange via the communication channel (K) ensues periodically.
- 5. Method according to claim 1 through 3, characterized in that the information exchange via the communication channel (K) ensues on demand.
  - 6. Method according to one of the preceding claims, characterized in that the at least one communication channel (K) is transmitted via carrier that are not line-bound.

## Abstract

5

10

METHOD FOR OPTIMIZING THE AVAILABLE TRANSMISSION CAPACITY AT SUBSCRIBER LINE NETWORKS

In subscriber line networks via which information are exchanged according to an xDSL transmission method, there is the problem that the maximally possible transmission capacity is highly dependent on the physical boundary conditions. When these change, the modems must re-adapt. When the original transmission capacity is no longer achieved, the xDSL link is taken out of operation. The invention solves this problem in that a communication channel is provided between modem and a central control logic.

Figure

## IN THE UNITED STATES ELECTED OFFICE OF THE UNITED STATES PATENT AND TRADEMARK OFFICE UNDER THE PATENT COOPERATION TREATY-CHAPTER II

## "SUBMITTAL OF DRAWINGS"

5 APPLICANT:

Stefan SCHRÖDER

SERIAL NO.:

**EXAMINER:** 

FILING DATE:

ART UNIT:

INTERNATIONAL APPLICATION NO.: PCT/EP99/00815

INTERNATIONAL FILING DATE: 8 February 1999

10 INVENTION:

METHOD FOR OPTIMISING THE TRANSMISSION

CAPACITY AVAILABLE IN CUSTOMER ACCESS

**NETWORKS** 

Hon. Assistant Commissioner for Patents

**Box PCT** 

Washington D.C. 20231

SIR:

Enclosed is a copy of the single drawing sheet as filed. Also enclosed is a second copy of the drawing with proposed drawing changes marked in red.

Approval of the proposed changes is hereby requested.

20

25

Respectfully submitted,


Melvin A. Robinson (reg. no. 31,870)


Schiff Hardin & Waite Patent Department 6600 Sears Tower

Chicago, Illinois 60606

Telephone: 312-258-5785

ATTORNEY FOR APPLICANT





## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

## "CHANGE OF ADDRESS OF APPLICANTS' REPRESENTATIVE"

**APPLICANT:** 

Stefan SCHRÖDER

**SERIAL NO.:** 

**EXAMINER:** 

FILING DATE:

**ART UNIT:** 

INTERNATIONAL APPLICATION NO.: PCT/EP99/00815

INTERNATIONAL FILING DATE: 8 February 1999

INVENTION:

METHOD FOR OPTIMISING THE TRANSMISSION CAPACITY

AVAILABLE IN CUSTOMER ACCESS NETWORKS

Hon. Assistant Commissioner for Patents Washington, D.C. 20231

SIR:

Members of the firm of Hill & Simpson designated on the original Power of Attorney have merged into the firm of Schiff Hardin & Waite. All future correspondence for the above-referenced application therefore should be sent to the following address:

> **SCHIFF HARDIN & WAITE** Patent Department 6600 Sears Tower 233 South Wacker Drive Chicago, Illinois 60606

> > Submitted by,

(Reg. 31,870)

Schiff Hardin & Waite Patent Department 6600 Sears Tower 233 South Wacker Drive Chicago, Illinois 60606 Telephone: 312-258-5785

ATTORNEYS FOR APPLICANT

## **Declaration and Power of Attorney For Patent Application** Erklärung Für Patentanmeldungen Mit Vollmacht German Language Declaration

Als nachstehend benannter Erfinder erkläre ich hiermit an Eides Statt:	As a below named inventor, I hereby declare that
dass mein Wohnsitz, meine Postanschrift, und meine Staatsangehörigkeit den im Nachstehenden nach meinem Namen aufgeführten Angaben entsprechen,	My residence, post office address and citizenship are as stated below next to my name,
dass ich, nach bestem Wissen der ursprüngliche, erste und alleinige Erfinder (falls nachstehend nur ein Name angegeben ist) oder ein ursprünglicher, erster und Miterfinder (falls nachstehend mehrere Namen aufgeführt sind) des Gegenstandes bin, für den dieser Antrag gestellt wird und für den ein Patent beantragt wird für die Erfindung mit dem Titel:	I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled
<u>Verfahren zur Optimierung der</u>	
verfügbaren Übertragungskapazität bei	
<u>Teilnehmeranschlußleitungsnetzen</u>	
(zutreffendes ankreuzen)	
hıer beigefügt ist.	the specification of which
als an als	
PCT internationale Anmeldung PCT Anmeldungsnummer	(check one)
eingereicht wurde und am	☐ is attached hereto.
abgeandert wurde (falls tatsachlich abgeandert).	was filed on as
- /	PCT international application
lch bestätige hiermit, dass ich den Inhalt der obigen	PCT Application Noand was amended on
Patentanmeldung einschliesslich der Ansprüche	(if applicable)
durchgesehen und verstanden habe, die eventuell	( 11
durch einen Zusatzantrag wie oben erwähnt abgeän-	I hamala and the first
dert wurde.	I hereby state that I have reviewed and understand the contents of the above identified specification,
	including the claims as amended by any amendment
lch erkenne meine Pflicht zur Offenbarung irgendwel- cher Informationen, die für die Prüfung der vorliegen-	referred to above.
den Anmeldung in Einklang mit Absatz 37. Bundes-	
gesetzbuch, Paragraph 1.56(a) von Wichtigkeit sind, an.	I acknowledge the duty to disclose information which
an.	is material to the examination of this application in
	accordance with Title 37, Code of Federal
Ich beanspruche hiermit ausländische Prioritätsvor-	Regulations, §1.56(a).
teile gemäss Abschnitt 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 119 aller unten ange-	
gebenen Auslandsanmeldungen für ein Patent oder	•
eine Erfindersurkunde, und habe auch alle Auslands-	I hereby claim foreign priority benefits under Title 35,
anmeldungen für ein Patent oder eine Erfindersurkun-	United States Code, §119 of any foreign application(s)
de nachstehend gekennzeichnet, die ein Anmeldedatum haben, das vor dem Anmeldedatum der	for patent or inventor's certificate listed below and have also identified below any foreign application for
Anmeldung liegt, für die Priorität beansprucht wird.	patent or inventor's certificate having a filing date
, ·····	before that of the application on which priority is
	claimed:
Page 1	of 4

German Language Declaration						
Prior foreign appp Priorität beanspru					Priori	ty Claimed
98 112 144.5 (Number) (Nummer)	Germany(EP) (Country) (Land)	(Day Mont	30. Juni 1998 (Day Month Year Filed) (Tag Monat Jahr eingereicht)		Yes Ja	□ No Nein
(Number) (Nummer)	(Country) (Land)		(Day Month Year Filed) (Tag Monat Jahr eingereicht)		Yes Ja	No Nein
(Number) (Nummer)	(Country) (Land)	(Day Mont (Tag Mont			Yes Ja	No Nein
prozessordnung 120, den Vorzug dungen und fa Anspruch dieser amerikanischen Paragraphen des der Vereinigten S erkenne ich gem Paragraph 1.56(a Informationen an der früheren Ani	hiermit gemäss Absatz der Vereinigten Staate g aller unten aufgefü ills der Gegenstand Anmeldung nicht in e Patentanmeldung laut Absatzes 35 der Zivilp staaten, Paragraph 122 äss Absatz 37, Bunde i) meine Pflicht zur Off , die zwischen dem A meldung und dem na alen Anmeldedatum o vorden sind	en, Paragraph hrten Anmel- aus jedem einer fruheren dem ersten rozeßordnung d offenbart ist, esgesetzbuch, fenbarung von unmeldedatum tionalen oder		I hereby claim the b States Code §120 of a listed below and, insofa of the claims of this ap prior United States app by the first paragraph of §122, I acknowledge information as defined Regulations, §1.56(a) filing date of the prior PCT international filing	any United Some as the subplication is relation in the first state of the duty to the duty	tates application(s) bject matter of each not disclosed in the le manner provided Inited States Code, disclose material (Code of Federal ured between the and the national or
(Application Senal No.) (Anmeldeseriennumme		Date) Idedatum)		(Status) (patentiert, anhängig, aufgegeben)	,	(Status) (patented, pending, abandoned)
(Application Serial No.) (Anmeldeseriennumme		Date) Idedatum)		(Status) (patentiert, anhängig, aufgeben)	,	(Status) (patented, pending, abandoned)
den Erklärung g besten Wissen und rung in Kenntnis oversätzlich falsch Absatz 18 der z Staaten von Ame Gefängnis bestra wissentlich und v tigkeit der vorlieg	it, dass alle von mir in gemachten Angaben rund Gewissen der vo dass ich diese eidesst dessen abgebe, dass we Angaben gemäss Pa Zivilprozessordnung derika mit Geldstrafe beft werden koennen, und vorsätzlich falsche Anggenden Patentanmeldu atentes gefährden könr	nach meinem Ilen Wahrheit cattliche Erklä- ressentlich und ragraph 1001, er Vereinigten elegt und/oder I dass derartig aben die Gül- ng oder eines nen.	Page 2 of	I hereby declare that a my own knowledge ar made on information true, and further that with the knowledge that the like so made imprisonment, or both, of the United States C statements may jeo application or any pate	e true and it and belief a these state at willful fall are punish under Sectione and the pardize the	that all statements are believed to be ments were made se statements and table by fine or on 1001 of Title 18 at such willful false validity of the

## German Language Declaration

VERTRETUNGSVOLLMACHT: Als benannter Erfinder beauftrage ich hiermit den nachstehend benannten Patentanwalt (oder die nachstehend benannten Patentanwälte) und/oder Patent-Agenten mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Geschäfte vor dem Patent- und Warenzeichenamt: (Name und Registrationsnummer anführen)

POWER OF ATTORNEY As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number)

Messrs. John D. Simpson (Registration No. 19,842) Lewis T. Steadman (17,974), William C. Stueber (16,453), P. Phillips Connor (18,259), Dennis A Gross (24,410), Marvin Moody (16,549), Steven H. Noll (28,982), Brett A. Valiquet (27,841), Thomas I. Ross (29,275), Kevin W. Guynn (29,927), Edward A Lehmann (22,312), James D. Hobart (24,149), Robert M. Barrett (30,142), James Van Santen (16,584), J. Arthur Gross (13,615), Richard J. Schwarz (13,472) and Melvin A. Robinson (31,870), David R. Metzger (32,919), John R. Garrett (27,888) all members of the firm of Hill, Steadman & Simpson, A Professional Telefongespräche bitte richten an Direct Telephone Calls to (name and telephone (Name und Telefonnummer) number) 312/876-0200 Ext \_\_\_\_\_ Send Correspondence to Postanschrift: HILL, STEADMAN & SIMPSON A Professional Corporation 85th Floor Sears Tower, Chicago, Illinois 60606 Voller Name dès einzigen oder ursprünglichen Erfinders: Full name of sole or first inventor: Stefan Schröder Unterschrift des Erfinders Datum Inventor's signature Date .99 Residence D-80802 München, Germany Citizenship Bundesrepublik Deutschland Postanschrift Post Office Addess Occamstraße 8 D-80802 München Bundesrepublik Deutschland Voller Name des zweiten Miterfinders (falls zutreffend): Full name of second joint inventor, if any Unterschrift des Erfinders Datum Second Inventor's signature Date Wohnsitz Residence Staatsangehörigkeit Citizenship

(Bitte entsprechende Informationen und Unterschriften im Falle von dritten und weiteren Miterfindern angeben).

(Supply similar information and signature for third and subsequent joint inventors).

Page 3 of 4

Post Office Address

Postanschrift

## United States Patent & Trademark Office

Office of Initial Patent Examination -- Scanning Division



Application deficiencies	found d	luring scanning:	
□ Page(s) 40F4	of	Declaration	were not present
for scanning.		(Document title)	
□ Page(s)	of		were not present
for scanning.		(Document title)	

□ Scanned copy is best available.